

Residential Aged Care Services

Quality Indicators

2006–2007

Agency:

Aged Care Service:

Period:

Year:

Indicator 1 – Prevalence of pressure ulcers

Number and stage of pressure ulcers at data collection

	Stage 1	Stage 2	Stage 3	Stage 4	Total	Number residents surveyed
Number of pressure ulcers						

Comments

INCLUDE: For residents admitted in this quarter - note any pressure ulcers that have been present since admission. Note if any of the pressure ulcers reported relate to residents in end-stage palliative care.

Any other comments

Indicator 2 – Prevalence of falls and fall-related fractures

Falls and fall-related fractures

Total number of falls	Number of fractures resulting from falls

Comments

Indicator 3 – Incidence of use of physical restraints

Part A Number of uses of physical restraint (definition Part A) observed

	Total
Total number of uses of physical restraint (as per Part A definition) observed	

Comments (200 characters)

- 1 Note the number of incidents in this Total where the restraint was specifically requested by the resident
- 2 Note the number of incidents in this Total where the restraint was specifically requested by the resident's family/advocate

Part B Number of uses of physical restraint (List B) observed

	Total
Total number of uses of physical restraint (as per List B) observed	

Comments (200 characters)

- 1 Note the number of incidents in this Total where the restraint was specifically requested by the resident
 - 2 Note the number of incidents in this Total where the restraint was specifically requested by the resident's family/advocate
-

Indicator 4 – Incidence of residents using 9 or more different medicines

Table: Number of residents using 9 or more different medicines

Number of residents surveyed	Number of residents using 9 or more different medicines

Comments

Indicator 5 – Prevalence of unplanned weight loss

Number of residents who experienced significant unplanned weight loss

Number of residents whose weight was monitored	Number of residents who experienced a significant unplanned weight loss during the quarter

Number of residents who experienced an unplanned weight loss over three consecutive months

Number of residents whose weight was monitored	Number of residents who experienced an unplanned weight loss over three consecutive months

Comments:

Include explanation/reasons regarding any resident not weighed (i.e. where the number of residents weighed is less than the total number of residents)