

EDIT MESSAGES AND BUSINESS RULES

E005 EMPTY TRANSACTION FILE

Effect RUN TERMINATED

Problem Either the transmission file has been corrupted, or the tape/diskette has parity errors.

Remedy You may need to re-submit data. Contact HCS Australia before taking action.

E010 a) NO MATCH CLIENT CODE b) NEW CLIENT; NOT YET VALID TO PROCEED

Effect RUN TERMINATED.

Problem a) Your hospital tables have not yet been set up at HCS Australia so the transmission cannot be accepted.
 b) Your hospital tables have been set up at HCS Australia but your hospital has not been declared valid for production processing.

Remedy Contact HCS Australia regarding processing of hospital tables.

E020 DELETION RECORD NO MATCH FOUND

Effect REJECTION

Problem An M1 Emergency Record deletion has been submitted (that is, Medicare Number 9999999999) with a Visit Number for which no earlier M1 can be found (that is, no earlier M1 with the same Visit Number). This would be because the original M1:

- ☞ was never submitted, or
- ☞ was deleted earlier, or
- ☞ was rejected when first submitted because of an error but not corrected and re-submitted, or
- ☞ was submitted with a different Visit Number, or
- ☞ is submitted in this transmission but *after* this deletion record.

Because no earlier M1 with that Visit Number is on file at HCS Australia, it is not possible to show a Patient Identifier.

Remedy Check the Visit Number in the M1 deletion.
If the Visit Number is wrong, correct it to the Visit Number of the original M1 and re-submit the deletion.
If the Visit Number is the same as the original M1, check which of the first three explanations above describes what happened; if the earlier M1 was to be deleted, there is probably no further action needed.
If the fifth explanation applies, check whether the M1 should be in VEMD. If yes, no further action is needed if the later M1 was accepted (if it was not accepted, correct and re-submit the M1). If no, re-submit the deletion M1.
Contact your software supplier to ensure transactions are submitted in the correct order.

E025 DUPLICATE ATTENDANCE

Effect REJECTION

Problem This M1 Emergency Record has been rejected because an M1 already on file has the same Patient Identifier but a different Visit Number (therefore this transaction does not appear to be a correction) yet the Arrival and Departure Dates and Times of the attendances are either identical or overlap.

Remedy Check Patient Identifier and Visit Number.
If Visit Number is wrong, correct it and re-submit the M1.
If Patient Identifier is wrong, correct it and re-submit the M1.
If both are correct, check Arrival and Departure Dates and Times for the existing M1 and for this record. Correct and re-submit as appropriate.
If the existing M1 and this M1 record are the same attendance, no further action is required.

E030 DUPLICATE PATIENT ID, DATES, TIMES

Effect REJECTION

Problem This M1 Emergency Record appears to be an update record (that is, an existing M1 has the same Visit Number) but the current (update) transaction has the same Patient Identifier, and the same or similar Arrival and Departure Dates and Times as an existing M1 with a different Visit Number. If the current transaction were accepted, it may be overwriting the wrong record.

Remedy Check all relevant details of both attendances, correct as appropriate and re-submit.

E050 ESTABLISHMENT IDENTIFIER BLANK

Effect REJECTION

Problem This M1 Emergency Record's Establishment Identifier has not been recorded. Establishment Identifier is mandatory for all emergency attendances.
Refer: *Establishment Identifier*, page 4 and *Appendix 2*, page 2-1 to 2-13.

Remedy Allocate an appropriate Establishment Identifier and re-submit the M1.

E051 ESTABLISHMENT IDENTIFIER INVALID

Effect REJECTION

Problem This M1 Emergency Record's Establishment Identifier does not exist in the 'Establishment Identifier' Reference Table.
Refer: *Establishment Identifier*, page 4 and *Appendix 2*, page 2-1 - 2-13.

Remedy Refer to Establishment Identifier Reference Table. Correct the record and re-submit the M1.

E060 VISIT NUMBER BLANK

Effect REJECTION

Problem This record has no Visit Number. The field should be automatically generated by your computer system. Contact your software supplier if Visit Number is not being generated.
Refer: *Visit Number*, page 4.

Remedy Check whether transaction should have been submitted. If necessary, contact your software supplier; allocate Visit Number and re-submit the M1.

E061 VISIT NUMBER INVALID

Effect REJECTION

Problem This M1 Emergency Record's Visit Number is in an invalid format.
Invalid: Special characters (for example, \$, #), alphabetic characters.
Invalid: Length >9 characters.
Invalid: Length = 0 characters.
Valid: Numeric characters, spaces (including embedded spaces).
Valid: Length (> 0 or ~~≤~~9) characters.
Refer: *Visit Number*, page 4.

Remedy Correct the Visit Number, and re-submit the M1.

E065 PATIENT IDENTIFIER BLANK

Effect REJECTION

Problem This M1 Emergency Record's Patient Identifier has not been recorded. Patient Identifier should be recorded for all emergency attendances. Refer: *Patient Identifier*, page 4.

Remedy Allocate an appropriate Patient Identifier and re-submit the M1.

E066 PATIENT IDENTIFIER INVALID

Effect REJECTION

Problem This M1 Emergency Records Patient Identifier is in invalid format.
Invalid: Special characters (for example, \$, #).
Invalid: Length >10 characters.
Valid: Numeric characters, spaces (including embedded spaces),
 alphabetic characters.
Valid: Length \leq 10 characters.
Refer: *Patient Identifier*, page 4.

Remedy Correct Patient Identifier and re-submit the M1.

E080 MEDICARE NUMBER NOT SUBMITTED

Effect Warning

Problem This M1 Emergency Record's Medicare Number has not been recorded. Medicare Numbers should be collected for the majority of patients who attend the emergency department. Refer: *Medicare Number*, page 4.

Remedy Allocate an appropriate Medicare Number and re-submit the M1.

E081 MEDICARE NUMBER INVALID

Effect REJECTION

Problem This M1 Emergency Records Medicare Number field has invalid data.
Invalid: Special characters (for example, \$, #), alphabetic characters.
Invalid: Length < or > 10 characters.
Valid: All numeric or all blanks.
Valid: Length = 10 characters.
Refer: *Medicare Number*, page 4.

Remedy Correct Medicare Number and re-submit the M1.

E085 MEDICARE CODE NOT SUBMITTED

Effect Warning

Problem This M1 Emergency Record's Medicare Code has not been recorded.
Medicare Codes should be collected for the majority of patients who
attend the emergency department.
Refer: *Medicare Code*, page 4.

Remedy Allocate an appropriate Medicare Code and re-submit the M1.

E086 MEDICARE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Records Medicare Code is invalid. Medicare Code
field must be a numeric or blank.
Invalid: Alphabetic characters, special characters (for example, \$, #).
Invalid: Code < 0 or >10.
Valid: Numeric or blank.
Valid: Code = 0 to 10.
Refer: *Medicare Code*, page 4.

Remedy Check Medicare Number and Code, amend to acceptable format and
re-submit the M1.

E090 SEX CODE BLANK

Effect REJECTION

Problem This record has no Sex recorded. The Sex field is mandatory for all emergency attendances.
Refer: *Sex*, page 5.

Remedy Allocate an appropriate Sex code and re-submit the M1.

E091 SEX CODE INVALID

Effect REJECTION

Problem This M1 Emergency Records Sex code is invalid. It does not exist in the 'Sex' Reference table.
Invalid: <1 or >3.
Valid: 1 or 2 or 3.
Refer: *Sex*, page 5.

Remedy Correct Sex code and re-submit the M1.

E092 SEX INDETERMINATE BUT AGE >= 90 DAYS

Effect REJECTION

Problem This M1 Emergency Record's Sex is 3 *Indeterminate* but the calculated difference between the dates of Arrival and Birth gives age at Arrival as 90 days or more. For Sex code 3 to be valid, the age must be less than 90 days.
Refer: *Sex*, page 5.

Remedy Check patient's Sex and dates of Arrival and Birth, correct as appropriate and re-submit the M1.

E093 SEX INDETERMINATE - CHECK

Effect Warning

Problem This M1 Emergency Record's Sex is 3 *Indeterminate*. Although the patient is aged less than 90 days, this sex is unusual, and the patient's record should be checked.

Remedy Correct the Sex if appropriate, and re-submit the M1.

E095 BIRTH DATE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Birth Date has not been recorded. Birth Date is mandatory for all emergency attendances. Refer: *Birth Date*, page 5.

Remedy Allocate an appropriate Birth Date and re-submit the M1. If the Date of Birth is unknown, estimate the year of birth and enter 0000 (zeros) in DDMM and estimated year in CCYY.

E096 BIRTH DATE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Birth Date is invalid in format. Valid Format: DDMMCCYY. If unknown Birth Date, estimate the year of birth and enter 0000 (zeros) in DDMM and estimated year in CCYY. Century (CC) can only be 18, 19 or 20. Invalid Format: 00MMCCYY. Refer: *Birth Date*, page 5.

Remedy Check Birth Date, correct if appropriate or, if Birth Date is unknown enter 0000 for DDMM, then estimate patient's age, calculate a year of birth and enter that for CCYY; then re-submit the M1.

E097 ARRIVAL DATE BEFORE BIRTH DATE

Effect REJECTION

Problem This M1 Emergency Record's Arrival Date is earlier than the patients Birth Date. The Birth Date can only be a date equal to or earlier than the Arrival Date.
Refer: *Birth Date*, page 5.

Remedy Check dates of Arrival and Birth, correct as appropriate and re-submit the M1.

E098 AGE CALCULATED AS 120 YRS & OVER

Effect REJECTION

Problem In this M1 Emergency Record, the calculated difference between the dates of Arrival and Birth gives age at Arrival of 120 years or more.
Refer: *Birth Date*, page 5.

Remedy Check Birth Date and re-submit the M1 if incorrect. If the Birth Date is correct, contact the VEMD Helpdesk.

E100 BIRTH PLACE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Birth Place has not been recorded. Birth Place is mandatory for all emergency attendances.
Refer: *Birth Place*, page 5 and *Appendix 3.1, 3.2 and 3.3*.

Remedy Allocate an appropriate Birth Place and re-submit the M1.

E101 BIRTH PLACE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Birth Place code is invalid. It does not exist in the 'Birth Place' Reference Table.
Refer: *Birth Place*, page 5 and *Appendix 3.1, 3.2 and 3.3*.

Remedy Correct Birth Place code and re-submit the M1.

E102 UNUSUAL BIRTH PLACE

Effect Warning

Problem Birth Place code indicates unusual Birth Place:
0001 Born at sea
0002 Birth Place not elsewhere classified
1700 Antarctic not further defined
1701 to 1707 Antarctic territories
2206 Vatican City, Holy See
Refer: *Birth Place*, page 5 and *Appendix 3.1, 3.2 and 3.3*.

Remedy Check Birth Place, correct and re-submit the M1.
If you have used 0002 *Birth Place not elsewhere classified* because there is no code for the country, contact the VEMD Helpdesk.

E103 BORN TODAY OVERSEAS & TREATED TODAY

Effect Warning

Problem This M1 Emergency Record's Arrival Date and Birth Date are the same but the Birth Place is not Australia (1100 to 1109, 1200, 1203 or 1299.)
Refer: *Arrival Date*, page 12, *Birth Date*, page 5 and *Birth Place*, page 5.

Remedy Check the Arrival Date, Birth Date and Birth Place fields; if necessary, correct as appropriate and re-submit the M1.

E105 ABORIGINALITY BLANK

Effect REJECTION

Problem This M1 Emergency Record's Aboriginality field has not been recorded. Aboriginality is mandatory for all emergency attendances.
Refer: *Aboriginality*, page 6.

Remedy Allocate an appropriate Aboriginality code and re-submit the M1.

E106 ABORIGINALITY CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Aboriginality code is invalid, it does not exist in the 'Aboriginality' Reference table, or the field is blank.
Valid: 1, 2.
Refer: *Aboriginality*, page 6.

Remedy Add or correct Aboriginality code and re-submit the M1.

E107 ABORIGINAL BUT NOT AUSTRALIAN BORN

Effect Warning

Problem This M1 Emergency Record's Aboriginality field indicates the patient is an Aboriginal or Torres Strait Islander but the Birth Place is not one of the codes indicating Australia (1100 to 1109, 1200, 1203 or 1299). It is unusual for Aboriginal or Torres Strait Islanders to have been born outside Australia.
Refer: *Aboriginality*, page 6, and *Birth Place*, 5.

Remedy Check the Aboriginality and the Birth Place fields; if necessary, correct as appropriate and re-submit the M1.

E110 PREFERRED LANGUAGE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Preferred Language has not been recorded. Preferred Language is mandatory for all emergency attendances.
Refer: *Preferred Language*, page 6 and *Appendix 4*, page 4-1 to 4-3.

Remedy Allocate an appropriate Preferred Language code and re-submit the M1.

E111 PREFERRED LANGUAGE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Preferred Language code is invalid. It does not exist in 'Preferred Language' Reference table.
Refer: *Preferred Language*, page 6, and *Preferred Language Reference table, Appendix 4*, page 4-1 to 4-3.

Remedy Check the Preferred Language Reference table, correct as appropriate and re-submit the M1.

E115 AREA OF RESIDENCE ERROR

Effect REJECTION

Problem Either this M1 Emergency Record's Suburb/town/locality is blank but the Postcode is not one of the default codes or its Postcode is 1000 or 9988 but the Suburb/town/locality is not blank (Postcode 8888 can have an overseas country entered in the Suburb/town/locality field).
Alternatively, neither Postcode nor Suburb/town/locality can be found when VEMD attempts to allocate the Statistical Local Area code.
Default Postcodes:
 1000 No fixed abode
 8888 Overseas
 9988 Unknown Postcode

Remedy Check Postcode and Suburb/town/locality, correct as appropriate and re-submit the M1.

E116 SUBURB INVALID

Effect REJECTION

Problem This M1 Emergency Record's Suburb, Town or Locality is invalid.
Invalid: Special characters (for example, \$, #).
Invalid: Length > 20 characters.
Valid: Alpha numeric, blank
Suburb, Town or Locality must exist in the Statistical Local Area Reference table with an exact match if the postcode begins with 3.
Other wise the Suburb, Town or Locality must match on at least the first three letters, if the postcode does not begin with 3.

Refer: *Suburb*, page 7

Remedy Check the Suburb, Town or Locality, correct the field and re-submit the M1.

E120 POSTCODE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Postcode has not been recorded. Postcode is mandatory for all emergency attendances. Refer: *Postcode*, page 7.

Remedy Allocate an appropriate Postcode and re-submit the M1.

E121 POSTCODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Postcode is invalid. It does not exist in the 'Postcode' Reference table. Apart from official postcodes, the following are valid codes:
 1000 No fixed abode
 8888 Overseas
 9988 Unknown
Refer: *Postcode*, page 7.

Remedy Correct Postcode and re-submit the M1. Ensure your software supplier regularly updates postcode file so new postcodes can be recorded.

E122 POSTCODE & SUBURB COMBINATION INVALID

Effect REJECTION

Problem This E1 Episode Record's Suburb/town/locality did not match the record's Postcode according to the Statistical Local Area (SLA) file used.

Remedy Check the Suburb/town/locality and Postcode. If the Suburb/town/locality was incorrectly transmitted, correct it and re-submit the M1. If the Postcode transmitted is incorrect, correct the Postcode and re-submit the M1. If you think there is an error in the SLA file, contact the VEMD Helpdesk. Ensure your software supplier regularly updates the postcode file.

E125 ARRIVAL TRANSPORT MODE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Arrival Transport Mode has not been recorded. Arrival Transport Mode is mandatory for all emergency attendances.
Refer: *Arrival Transport Mode*, page 8.

Remedy Allocate an appropriate Arrival Transport Mode and re-submit the M1.

E126 ARRIVAL TRANSPORT MODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Arrival Transport Mode code is invalid. It does not exist in the 'Arrival Transport Mode' Reference table. Note: Reference table includes codes only. Acronyms will not be accepted.
Valid: 1, 2, 3, 4, 5, 6, 7, 8, 9, 19
Refer: *Arrival Transport Mode*, page 8.

Remedy Correct Arrival Transport Mode code and re-submit the M1.

E130 REFERRED BY BLANK

Effect REJECTION

Problem This M1 Emergency Record's Referred By code has not been recorded. Referred By is mandatory for all emergency attendances.
Refer: *Referred By*, page 9.

Remedy Allocate an appropriate Referred By code and re-submit the M1.

E131 REFERRED BY CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Referred By code is invalid. It does not exist in the 'Referred By' Reference table. Note: Reference table includes codes only. Acronyms will not be accepted.
Valid: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 19
Refer: *Referred By*, page 9.

Remedy Correct Referred By code and re-submit the M1.

E135 TRANSFER SOURCE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Transfer Source code is invalid. It does not exist in the 'Transfer Source' Reference Table.
Refer: *Transfer Source*, page 10 and *Appendix 2*, pages 2-1 to 2-13.

Remedy Check the Transfer Source Reference table, correct Transfer Source code and re-submit the M1.

E136 REFERRED BY & TRANSFER SOURCE COMBINATION INVALID

Effect REJECTION

Problem This M1 Emergency Record contains an invalid combination of Referred By and Transfer Source (which indicates specific acute hospital, extended care, rehabilitation or geriatric centre from which the patient has been transferred). If the patient has *not* been admitted by transfer from another hospital (that is, Referred By code is *not* 6) then Transfer Source field should remain blank. If the patient *has* been admitted by transfer from another hospital (that is, Referred By code is 6), then Transfer Source must be completed. This record has either a Referred By code 1, 2, 3, 4, 5, 7, 8, 9, 10, 11 or 19 (meaning this it is not a transfer or is a transfer from a nursing home) but has a Transfer Source code, **OR**, the record has a Referred By code = 6 (meaning this is a transfer from a hospital), but the Transfer Source field is not completed.

There should be no Transfer Source code if this is *not* a transfer from a hospital. There should be a Transfer Source code if this *is* a transfer from a hospital.

Refer: *Referred By*, page 9, and *Transfer Source*, page 10 and *Appendix 2*, page 2-1 to 2-13.

Remedy If patient was transferred from a hospital, correct Transfer Source and re-submit the M1.
If patient was not transferred from a hospital, correct Referred By from 6 to appropriate code and re-submit the M1.
If Transfer Source code includes a zero, it must be punched as a zero not an uppercase alpha O.

**E137 TRANSFER SOURCE / DESTINATION MATCHES
ESTABLISHMENT IDENTIFIER**

Effect REJECTION

Problem This M1 Emergency Record's Transfer Source code and/or its Transfer Destination code is the same as the Establishment Identifier Code of this hospital.

Remedy Check and correct the Transfer Source code and/or Transfer Destination code and re-submit the M1.
If this attendance ended in the patient being admitted to this hospital, the Departure Status code should not be 4 Transfer and the Transfer Destination code should be blank.

E140 TYPE OF VISIT BLANK

Effect REJECTION

Problem This M1 Emergency Record's Type of Visit has not been recorded. Type of Visit is mandatory for all emergency attendances.
Refer: *Type of Visit*, page 11.

Remedy Allocate an appropriate Type of Visit code and re-submit the M1.

E141 TYPE OF VISIT CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Type of Visit code is invalid. It does not exist in the 'Type of Visit' Reference table.
Valid: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10
Refer: *Type of Visit*, page 11.

Remedy Correct Type of Visit code and re-submit the M1.

E142 ARRIVAL TRANSPORT MODE & TYPE OF VISIT COMBINATION INVALID

Effect REJECTION

Problem This M1 Emergency Record contains an invalid combination of Arrival Transport Mode and Type of Visit. If the patient's Arrival Transport Mode = 9 - Undertaker, then the Type of Visit must = 10 - Dead on Arrival, Triage Category must = 6 - Dead on Arrival, Departure Status must = 8 - Dead on Arrival, Referred to on Departure must = 19 - Dead on Arrival and Departure Transport Mode must = 9 - Undertaker.
Refer: *Arrival Transport Mode*, page 9 and *Type of Visit*, page 12.

Remedy Correct either the Arrival Transport Mode or the Type of Visit field and re-submit the M1.

E145 COMPENSABLE STATUS BLANK

Effect REJECTION

Problem This M1 Emergency Record's Compensable Status has not been recorded. Compensable Status is mandatory for all emergency attendances.
Refer: *Compensable Status*, page 12.

Remedy Allocate an appropriate Compensable Status code and re-submit the M1.

E146 COMPENSABLE STATUS CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Compensable Status code is invalid. It does not exist in the 'Compensable Status' Reference table. Note: Reference Table includes codes only. Acronyms will not be accepted.
Valid: 1, 2, 3, 4, 5, 6, 7
Refer: *Compensable Status*, page 12.

Remedy Correct Compensable Status code and re-submit the M1.

E150 AMBULANCE CASE NUMBER INVALID

- Effect REJECTION
- Problem This M1 Emergency Record's Ambulance Case Number is invalid.
Invalid: Special characters (for example, \$, #).
Invalid: Length > 6 characters.
Valid: Alpha numeric.
Refer: *Ambulance Case Number*, page 12.
- Remedy Check the Ambulance Case Number, correct the field and re-submit the M1.

**E151 AMBULANCE CASE NUMBER & ARRIVAL
TRANSPORT MODE COMBINATION INVALID**

- Effect REJECTION
- Problem This M1 Emergency Record contains an invalid combination of Arrival Transport Mode and Ambulance Case Number. If the patient has arrived by ambulance (that is, Arrival Transport Mode code is 1, 2, 3, 4 or 5) then Ambulance Case Number field is mandatory. If the patient did not arrive by ambulance (that is, Arrival Transport Mode code is 6, 7, 8, 9 or 19) then Ambulance Case Number field should remain blank.
Refer: *Arrival Transport Mode*, page 8, and *Ambulance Case Number*, page 12.
- Remedy If the patient did arrive by ambulance, add the Ambulance Case Number and re-submit the M1.
If the patient did not arrive by ambulance, correct Arrival Transport and Ambulance Case Number code and re-submit the M1.

E155 ARRIVAL DATE BLANK

- Effect REJECTION
- Problem This M1 Emergency Record's Arrival Date has not been recorded.
Arrival Date is mandatory for all emergency attendances.
Refer: *Arrival Date*, page 12.
- Remedy Allocate an appropriate Arrival Date and re-submit the M1.

E156 ARRIVAL DATE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Arrival Date is invalid in format.
Valid Format: DDMMCCYY.
Invalid: Zero-filled
Century (CC) can only be 18, 19 or 20.
Refer: *Arrival Date*, page 12.

Remedy Check Arrival Date, correct and re-submit the M1.

E160 ARRIVAL TIME BLANK

Effect REJECTION

Problem This M1 Emergency Record's Arrival Time has not been recorded.
Arrival Time is mandatory for all emergency attendances.
Refer: *Arrival Time*, page 12.

Remedy Allocate an appropriate Arrival Time and re-submit the M1.

E161 ARRIVAL TIME INVALID

Effect REJECTION

Problem This M1 Emergency Record's Arrival Time is not in 24 hour format.
Invalid: 0000 or 2400. *Following international convention midnight is either 2359 of preceding date or 0001 of following date (that is, 0000 and 2400 are not accepted).*
Refer: *Arrival Time*, page 12.

Remedy Correct Arrival Time and re-submit the M1.

E165 TRIAGE DATE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Triage Date has not been recorded.
Triage Date is mandatory for all emergency attendances.
Refer: *Triage Date*, page 13.

Remedy Allocate an appropriate Triage Date and re-submit the M1.

E166 TRIAGE DATE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Triage Date is invalid in format.
Valid Format: DDMMCCYY.
Invalid: Zero-filled
Century (CC) can only be 18, 19 or 20.
Refer: *Triage Date*, page 13.

Remedy Check Triage Date, correct and re-submit the M1.

E167 TRIAGE DATE BEFORE ARRIVAL DATE

Effect REJECTION

Problem This M1 Emergency Record's Triage Date is earlier than the Arrival Date. The Triage Date can only be a date equal to or later than the Arrival Date.
Refer: *Triage Date*, page 13 and *Arrival Date*, page 12.

Remedy Check dates of Triage and Arrival, correct as appropriate and re-submit the M1.

E170 TRIAGE TIME BLANK

Effect REJECTION

Problem This M1 Emergency Record's Triage Time has not been recorded. Triage Time is mandatory for all emergency attendances.
Refer: *Triage Time*, page 13.

Remedy Allocate an appropriate Triage Time and re-submit the M1.

E171 TRIAGE TIME INVALID

Effect REJECTION

Problem This M1 Emergency Record's Triage Time is not in 24 hour format. Invalid: 0000 or 2400. *Following international convention midnight is either 2359 of preceding date or 0001 of following date (that is, 0000 and 2400 are not accepted).*
Refer: *Triage Time*, page 13.

Remedy Correct Triage Time and re-submit the M1.

E172 TRIAGE TIME BEFORE ARRIVAL TIME

- Effect REJECTION
- Problem This M1 Emergency Record's Triage Date equals the Arrival Date, but the Triage Time is less than the Arrival Time. If the Triage and Arrival Dates are the same, the Triage Time must be later than or equal to the Arrival Time.
Refer: *Triage Date & Time*, page 13 and *Arrival Date & Time*, page 12.
- Remedy Check dates of Triage and Arrival and times of Triage and Arrival, correct as appropriate and re-submit the M1.

E175 TRIAGE CATEGORY BLANK

- Effect REJECTION
- Problem This M1 Emergency Record's Triage Category has not been recorded. Triage Category is mandatory for all emergency attendances.
Refer: *Triage Category*, page 13.
- Remedy Allocate an appropriate Triage Category code and re-submit the M1.

E176 TRIAGE CATEGORY INVALID

- Effect REJECTION
- Problem This M1 Emergency Record's Triage Category is invalid. It does not exist in the 'Triage Category' Reference table.
Valid: 1, 2, 3, 4, 5 or 6.
Refer: *Triage Category*, page 13.
- Remedy Check the Triage Category Reference table, correct as appropriate and re-submit the M1.

E180 FIRST SEEN BY TREATING NURSE DATE INVALID

Effect REJECTION

Problem This M1 Emergency Record's First Seen by Treating Nurse Date is an invalid date or is not 'blank'.
Valid Format: DDMMCCYY or blank.
Refer: *First Seen by Treating Nurse*, page 14.

Remedy Correct First Seen by Treating Nurse Date and re-submit the M1.

E181 FIRST SEEN BY TREATING NURSE DATE BEFORE TRIAGE DATE

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Treating Nurse Date is earlier than the Triage Date. The First Seen By Treating Nurse Date can only be a date equal to or later than the Triage Date, except where First Seen By Treating Nurse Date is blank.
Refer: *First Seen By Treating Nurse Date*, page 14 and *Triage Date*, page 13.

Remedy Check dates of First Seen By Treating Nurse and Triage, correct as appropriate and re-submit the M1.

E182 FIRST SEEN BY TREATING NURSE / DOCTOR DATE & DEPARTURE STATUS COMBINATION INVALID

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Treating Nurse Date and First Seen By Doctor Date fields are null, but Departure Status does not equal 6 - Left before being seen by Doctor (or definitive service provider), **OR**, one or both of the First Seen By Treating Nurse Date and First Seen By Doctor Dates are completed, but the Departure Status = 6 - Left before being seen by Doctor (or definitive service provider). If Departure Status = 6 - Left before being seen by Doctor (or definitive service provider), both First Seen By Treating Nurse and First Seen By Doctor Dates must be null. If Departure Status = 1, 2, 3, 4, 5, 7 or 8, one or both of the First Seen By Treating Nurse Date and First Seen By Doctor Date fields must be completed.

By Refer: *First Seen By Treating Nurse Date*, page 14, *First Seen By Doctor Date*, page 15 and *Departure Status*, page 17.

Remedy If the patient did see a Doctor or definitive service provider, correct the Departure Status as appropriate and re-submit the M1.
If the patient did not see a Doctor or definitive service, correct the First Seen By Treating Nurse Date &/or First Seen By Doctor Date as appropriate and re-submit the M1.

E185 FIRST SEEN BY TREATING NURSE TIME INVALID

Effect REJECTION

Problem This M1 Emergency Record's First Seen by Treating Nurse Time is not in 24 hour format.
Invalid: 0000 or 2400. *Following international convention midnight is either 2359 of preceding date or 0001 of following date (that is, 0000 and 2400 are not accepted).*
Refer: *First Seen by Treating Nurse Time*, page 14.

Remedy Correct First Seen by Treating Nurse Time and re-submit the M1.

E186 FIRST SEEN BY TREATING NURSE TIME BEFORE TRIAGE TIME

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Treating Nurse Date equals the Triage Date, but the First Seen By Treating Nurse Time is less than the Triage Time. If the First Seen By Treating Nurse Date and Triage Dates are the same, the First Seen By Treating Nurse Time must be later than or equal to the Triage Time.

Refer: *First Seen By Treating Nurse Date & Time*, page 14, *Triage Date & Time*, page 13.

Remedy Check dates and times of First Seen By Treating Nurse and Triage, correct as appropriate and re-submit the M1.

E187 FIRST SEEN BY TREATING NURSE DATE AND TIME COMBINATION INVALID

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Treating Nurse Date is completed but the First Seen By Treating Nurse Time is null, **OR**, the First Seen By Treating Nurse Date is null but the First Seen By Treating Nurse Time is completed. Where one field has been entered, it is mandatory to enter the other.

Refer: *First Seen By Treating Nurse Date*, page 14 and *First Seen By Treating Nurse Time*, page 14.

Remedy Refer to the appropriate fields, correct as necessary and re-submit the M1.

E188 FIRST SEEN BY TREATING NURSE / DOCTOR TIME & DEPARTURE STATUS COMBINATION INVALID

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Treating Nurse Time and First Seen By Doctor Time fields are null, but Departure Status does not equal 6 - Left before being seen by Doctor (or definitive service provider), **OR**, one or both of the First Seen By Treating Nurse Time and First Seen By Doctor Time fields are completed, but the Departure Status = 6 - Left before being seen by Doctor (or definitive service provider).

By If Departure Status = 6 - Left before being seen by Doctor (or definitive service provider), both First Seen By Treating Nurse and First Seen Doctor Times must be null. If Departure Status = 1, 2, 3, 4, 5, 7 or 8, one or both of the First Seen By Treating Nurse Time and First Seen By Doctor Time fields must be completed.
Refer: *First Seen By Treating Nurse Time*, page 14, *First Seen By Doctor Time*, page 15 and *Departure Status*, page 17.

Remedy If the patient did see a Doctor or definitive service provider, correct the Departure Status as appropriate and re-submit the M1.
If the patient did not see a Doctor or definitive service, correct the First Seen By Treating Nurse Time &/or First Seen By Doctor Time as appropriate and re-submit the M1.

E195 FIRST SEEN BY TREATING DOCTOR DATE INVALID

Effect REJECTION

Problem This M1 Emergency Record's First Seen by Treating Doctor Date is an invalid date or is not 'blank'.
Century (CC) can only be 18, 19 or 20.
Invalid: zero filled
Valid: DDMMCCYY or blank.
Refer: *First Seen by Doctor Date*, page 15.

Remedy Correct First Seen by Doctor Date and re-submit the M1.

E196 FIRST SEEN BY DOCTOR DATE BEFORE TRIAGE DATE

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Doctor Date is earlier than the Triage Date. The First Seen By Doctor Date can only be a date equal to or later than the Triage Date, except where First Seen By Doctor Date is blank.

Refer: *First Seen By Doctor Date*, page 15 and *Triage Date*, page 13.

Remedy Check dates of First Seen By Doctor and Triage, correct as appropriate and re-submit the M1.

E200 FIRST SEEN BY DOCTOR TIME INVALID

Effect REJECTION

Problem This M1 Emergency Record's First Seen by Treating Doctor Time is not in 24 hour format or is not blank.

Invalid: 0000 or 2400. *Following international convention midnight is either 2359 of preceding date or 0001 of following date (that is, 0000 and 2400 are not accepted).*

Refer: *First Seen by Doctor Time*, page 15.

Remedy Correct First Seen by Doctor Time and re-submit the M1.

E201 FIRST SEEN BY DOCTOR TIME BEFORE TRIAGE TIME

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Doctor Date equals the Triage Date, but the First Seen By Doctor Time is less than the Triage Time. If the First Seen By Doctor Date and Triage Dates are the same, the First Seen By Doctor Time must be later than or equal to the Triage Time.

Refer: *First Seen By Doctor Date & Time*, page 15, *Triage Date & Time*, page 13.

Remedy Check dates and times of First Seen By Doctor and Triage, correct as appropriate and re-submit the M1.

**E202 FIRST SEEN BY DOCTOR DATE AND TIME COMBINATION
INVALID**

Effect REJECTION

Problem This M1 Emergency Record's First Seen By Doctor Date is completed but the First Seen By Doctor Time is null, **OR**, the First Seen By Doctor Date is null but the First Seen By Doctor Time is completed. Where one field has been entered, it is mandatory to enter the other.

Refer: *First Seen By Doctor Date*, page 15 and *First Seen By Doctor Time*, page 15.

Remedy Refer to the appropriate fields, correct as necessary and re-submit the M1.

E205 PROCEDURE CODE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Procedure code has not been recorded. Procedure is mandatory for all emergency attendances.

Refer: *Procedures*, page 16.

Remedy Allocate an appropriate Procedure code and re-submit the M1.

E206 PROCEDURE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Procedure code is invalid. It does not exist in the 'Procedure' Reference Table. Note: Reference Table includes codes only. Acronyms will not be accepted.

Refer: *Procedures*, page 16 and *Appendix 5*, page 5-1 - 5-3.

Remedy Check the Procedure code, correct as necessary and re-submit the M1.

E207 PROCEDURE CODE FORMAT INVALID

Effect REJECTION

Problem Either this M1 Emergency Record's Procedure code is in an invalid format, ie) the procedure codes have been separated by more than one curly brackets }} or includes a space,

OR

It contains a Procedure code which follows a blank Procedure field (either there is no Procedure code or there is a blank first Procedure followed by a valid Procedure code). There must be no blank ☹Procedure codes☹.

Remedy Remove incorrect formatting,

OR

Remove the blank ☹Procedure code☹ by moving up Procedure codes to follow each other, and re-submit the M1.

Contact your software supplier to ensure blank ☹procedure codes☹ are not transmitted.

E210 DEPARTURE DATE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Departure Date has not been recorded. Departure Date is mandatory for all emergency attendances. Refer: *Departure Date*, page 16.

Remedy Allocate an appropriate Patient Identifier and re-submit the M1.

E211 DEPARTURE DATE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Departure Date is an invalid date or is 'blank'.

Valid Format: DDMMCCYY.

Refer: *Departure Date*, page 16.

Remedy Correct Departure Date and re-submit the M1.

E212 DEPARTURE DATE BEFORE FIRST SEEN BY TREATING NURSE DATE

Effect REJECTION

Problem This M1 Emergency Record's Departure Date is earlier than the First Seen By Treating Nurse Date. The Departure Date can only be a date equal to or later than the First Seen By Treating Nurse Date, except where First Seen By Treating Nurse Date is blank.
Refer: *First Seen By Treating Nurse Date*, page 14 and *Departure Date*, page 16.

Remedy Check dates of First Seen By Treating Nurse and Departure, correct as appropriate and re-submit the M1.

E213 DEPARTURE DATE BEFORE FIRST SEEN BY DOCTOR DATE

Effect REJECTION

Problem This M1 Emergency Record's Departure Date is earlier than the First Seen By Doctor Date. The Departure Date can only be a date equal to or later than the First Seen By Doctor Date, except where First Seen Doctor Date is blank.
Refer: *First Seen By Doctor Date*, page 15 and *Departure Date*, page 16.

Remedy Check dates of First Seen By Doctor and Departure, correct as appropriate and re-submit the M1.

E214 DEPARTURE DATE BEFORE IMPLEMENTATION DATE

Effect REJECTION

Problem This M1 Emergency Record's Departure Date is earlier than the VEMD Implementation Date (that is before 1 October 1995). The Departure Date can only be a date equal to or later than 1 October 1995.

Remedy Check dates of Departure, correct as appropriate and re-submit the M1.

E215 DEPARTURE DATE BEFORE CUT OFF DATE

Effect This update transaction has been accepted but the effect (deletion of an M1 Emergency Record) may not be what was intended: you are warned that something has been deleted.

Problem This M1 Emergency Record's Departure Date has put the episode into a financial year for which the VEMD file has been closed. The current M1 has updated an earlier episode including adding a Departure Date or changing an earlier Departure Date but the new Departure Date has put the episode into a financial year for which the VEMD file has been closed. [The Department instructs HCS Australia to close the file for that financial year on 21 September (no more can be added and nothing can be changed or deleted) and all reports are run from that closed file for consistency.] The effect of this current transaction has been to delete the original M1 from the current file (because the patient appears to have departed before that period started). This update transaction is not retained on the current file. The effect is that the episode no longer appears in VEMD.
Refer: *Departure Date*, page 16.

Remedy Check the Departure Date. If the Departure Date in this update transaction is correct then no further action is required: the VEMD file for that period has been closed so no more data can be accepted. If the Departure Date in this update transaction is incorrect and the correct date would place the Departure in the period currently being collected then correct the Departure Date and re-submit the M1.

E220 DEPARTURE TIME BLANK

Effect REJECTION

Problem This M1 Emergency Record's Departure Time has not been recorded. Departure Time is mandatory for all emergency attendances.
Refer: *Departure Time*, page 16.

Remedy Allocate an appropriate Departure Time and re-submit the M1.

E221 DEPARTURE TIME INVALID

Effect REJECTION

Problem This M1 Emergency Record's Departure Time is not in 24 hour format.
Invalid: 0000 or 2400. *Following international convention midnight is either 2359 of preceding date or 0001 of following date (that is, 0000 and 2400 are not accepted).*
Refer: *Departure Time*, page 16.

Remedy Correct Departure Time and re-submit the M1.

E222 DEPARTURE TIME BEFORE FIRST SEEN BY TREATING NURSE TIME

Effect REJECTION

Problem This M1 Emergency Record's Departure Date equals First Seen By Treating Nurse Date, but the Departure Time is less than the First Seen By Treating Nurse Time. If the Departure Date and First Seen By Treating Nurse Dates are the same, the Departure Time must be later than or equal to the First Seen By Treating Nurse Time.
Refer: *Departure Date & Time*, page 16 and *First Seen By Treating Nurse Date & Time*, page 14.

Remedy Check dates and times of Departure and First Seen By Treating Nurse, correct as appropriate and re-submit the M1.

E223 DEPARTURE TIME BEFORE FIRST SEEN BY DOCTOR TIME

Effect REJECTION

Problem This M1 Emergency Record's Departure Date equals First Seen By Doctor Date, but the Departure Time is less than the First Seen By Doctor Time. If the Departure Date and First Seen By Doctor Dates are the same, the Departure Time must be later than or equal to the First Seen By Doctor Time.
Refer: *Departure Date & Time*, page 16 and *First Seen By Doctor Date & Time*, page 15.

Remedy Check dates and times of Departure and First Seen By Doctor, correct as appropriate and re-submit the M1.

E230 DEPARTURE STATUS BLANK

Effect REJECTION

Problem This M1 Emergency Record's Departure Status has not been recorded. Departure Status is mandatory for all emergency attendances. Refer: *Departure Status*, page 17.

Remedy Allocate an appropriate Departure Status and re-submit the M1.

E231 DEPARTURE STATUS INVALID

Effect REJECTION

Problem This M1 Emergency Record's Departure Status code is invalid. It does not exist in the 'Departure Status' Reference table. Note: Reference Table includes codes only. Acronyms will not be accepted. Valid: 1, 2, 3, 4, 5, 6, 7, 8
Refer: *Departure Status*, page 17.

Remedy Correct Departure Status code and re-submit the M1.

E232 TRANSFER DEPARTURE STATUS CODE COMBINATION INVALID

Effect REJECTION

Problem This M1 Emergency Record's Departure Status = 4 - Transfer out of this hospital to another hospital, and Transfer Destination, Reason for Transfer, Escort Source and/or Departure Transport Mode are null, **OR**, Departure Status = 1-3, or 5-8 and Transfer Destination, Reason for Transfer, Escort Source and/or Departure Transport Mode are not null.
If the Departure Status = 4 - Transfer out of this hospital to another hospital, then Transfer Destination, Reason for Transfer, Escort Source and Departure Transport Mode must be completed. If Departure Status = 1-3 or 5-8, then Transfer Destination, Reason for Transfer, Escort Source and Departure Transport Mode must be left blank.

Remedy Check the Departure Status, correct as appropriate and re-submit the M1.

E235 TRANSFER DESTINATION CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Transfer Destination code is invalid. It does not exist in the 'Transfer Destination' Reference table.
Refer: *Transfer Destination*, page 17, and *Appendix 2*, page 2-1 to 2-13.

Remedy Correct Transfer Destination code and re-submit the M1.

E240 REFERRED TO ON DEPARTURE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Referred to on Departure code has not been recorded. Referred to on Departure is mandatory for all emergency attendances.
Refer: *Referred to on Departure*, page 18.

Remedy Allocate an appropriate Referred to on Departure and re-submit the M1.

E241 REFERRED TO ON DEPARTURE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Referred to on Departure code is invalid. It does not exist in the 'Referred To On Departure' Reference table. Note: Reference Table includes codes only. Acronyms will not be accepted.
Valid: 1, 2, 3, 4, 5, 6, 7, 8, 16, 17, 18, 19
Refer: *Referred to on Departure*, page 18.

Remedy Correct Referred to on Departure code and re-submit the M1.

**E242 REFERRED TO ON DEPARTURE & DEPARTURE
STATUS COMBINATION INVALID**

Effect REJECTION

Problem This M1 Emergency Record's Departure Status is 1 - Discharge to home, nursing home or 3 - Admission within the Emergency Department and Referred To On Departure *equals* 19 - Not Applicable, **OR**, Departure Status is 2 - Admission to ward, 4 - Transfer out of this hospital to another hospital, 5 - Left at own risk, 7 - Died within the ED or 8 - Dead on arrival and Referred To On Departure *does not equal* 19 - Not applicable.
Refer: *Departure Status*, page 17 and *Referred To On Departure*, page 18.

Remedy Check the Departure Status and Referred To On Departure fields, correct as appropriate and re-submit the M1.

E245 REASON FOR TRANSFER CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Reason For Transfer code is invalid. It does not exist in the 'Reason For Transfer' Reference table.
Valid: 1, 2, 3, 4, 5, 6, 7, 9.
Refer: *Reason For Transfer*, page 20.

Remedy Correct the Reason For Transfer code, and re-submit the M1.

E250 ESCORT SOURCE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Escort Source code is invalid. It does not exist in the 'Escort Source' Reference table.
Valid: 1, 2, 3, 4, 5, 9.
Refer: *Escort Source*, page 21.

Remedy Correct the Source code, and re-submit the M1.

E255 DEPARTURE TRANSPORT MODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Departure Transport Mode code is invalid. It does not exist in the 'Departure Transport Mode' Reference table. Note: Reference Table includes codes only. Acronyms will not be accepted.
Valid: 1, 2, 3, 4, 5, 6, 7, 8, 9, 19
Refer: *Departure Transport Mode*, page 22.

Remedy Correct Departure Transport Mode code and re-submit the M1.

E260 PRIMARY DIAGNOSIS BLANK

Effect REJECTION

Problem This M1 Emergency Record's Primary Emergency Department Diagnosis has not been recorded. Primary Emergency Department Diagnosis is mandatory for all emergency attendances.
Refer: *Primary Emergency Department Diagnosis*, page 23, *Appendix 6* page 6-1 to 6-29 or *Appendix 7*, page 7-1 to 7-3.

Remedy Allocate an appropriate Primary Emergency Department Diagnosis and re-submit the M1.

E261 DIAGNOSIS CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Primary / Additional 1 / Additional 2 Emergency Department Diagnosis is invalid. It does not exist in the Emergency Department Diagnosis Reference table.
Refer: *Primary / Additional 1 / Additional 2 Emergency Department Diagnosis*, page 23, *Appendix 6*, page 6-1 to 6-27 and *Appendix 7*, page 7-1 to 7-3.

Remedy Check and correct the Primary / Additional 1 / Additional 2 Emergency Department Diagnosis and re-submit the M1.

E262 DIAGNOSIS CODE & SEX INCOMPATIBLE

- Effect Warning or REJECTION
- Problem This M1 Emergency Record contains diagnosis code(s) unusual (warning) or impossible (rejection) for sex of patient. Each incompatible code will be identified by a hash # to the left if causing a warning or an asterisk * to the left if causing a rejection.
Refer: *Primary / Additional 1 & Additional 2 Emergency Department Diagnosis*, page 23, *Appendix 6*, page 6-1 to 6-27 and *Appendix 7*, page 7-1 to 7-3.
- Remedy Check code(s) (note any Exclusions in the VEMD version of ICD-10-AM); if necessary, correct code(s) and re-submit the M1.
Check Sex; if necessary, correct and re-submit the M1.
If you consider a sex edit unjustified, notify the VEMD Help Desk.

E263 DIAGNOSIS CODE & AGE INCOMPATIBLE

- Effect Warning or REJECTION
- Problem This M1 Emergency Record contains diagnosis code(s) unusual (warning) or impossible (rejection) for age of patient (as calculated by subtracting Arrival Date from Birth Date). Each incompatible code will be identified by a hash # to the left if causing a warning or an asterisk * to the left if causing a rejection.
Refer: *Primary / Additional 1 & Additional 2 Emergency Department Diagnosis*, page 23, *Appendix 6*, page 6-1 to 6-27 and *Appendix 7*, page 7-1 to 7-3.
- Remedy Check code(s) (note any Exclusions in the VEMD version of ICD-10-AM); if necessary, correct code(s) and re-submit the M1.
Check Birth Date; if necessary, correct and re-submit the M1.
If you consider an age edit unjustified, notify the VEMD Help Desk.

E271 DIAGNOSIS CODE FORMAT INVALID

Effect REJECTION

Problem Either this M1 Emergency Record's Diagnosis code is in an invalid format, ie) the Diagnosis code has a decimal point (.), forward slash (/), Morphology code prefix (Mxxxxxxx), or the diagnosis code has been separated by more than one curly bracket } } or includes a space.

OR

It contains an Additional Diagnosis code which follows a blank diagnosis field (either there is no Primary Emergency Department Diagnosis or there is a blank first Additional Emergency Department Diagnosis followed by a valid diagnosis code). There must be no blank ☺diagnosis codes☻.

Remedy Remove incorrect formatting,

OR

Remove the blank ☺diagnosis code☻ by moving up Diagnosis codes to follow each other, and re-submit the M1.

Contact your software supplier to ensure blank ☺diagnosis codes☻ are not transmitted.

E280 NATURE OF MAIN INJURY CODE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Nature of Main Injury code has not been recorded. Nature of Main Injury is mandatory for all emergency attendances.

Refer: *Nature of Main Injury*, page 24.

Remedy Allocate an appropriate Nature of Main Injury code and re-submit the M1.

E281 NATURE OF MAIN INJURY CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Nature of Main Injury code is invalid. It does not exist in the 'Nature of Main Injury' Reference table.

Valid: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25

Refer: *Nature of Main Injury*, page 24.

Remedy Correct Nature of Main Injury code and re-submit the M1.

E285 BODY REGION CODE BLANK

Effect REJECTION

Problem This M1 Emergency Record's Body Region code has not been recorded. Body Region is mandatory for all emergency attendances.
Refer: *Body Region*, page 25 & 26.

Remedy Allocate an appropriate Body Region code and re-submit the M1.

E286 BODY REGION CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Body Region code is invalid. It does not exist in the 'Body Region' Reference table.
Valid: F1, F2, F3, F4, F5, F6, F7
1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
Refer: *Body Region*, page 25 & 26.

Remedy Correct Body Region code and re-submit the M1.

E287 NATURE OF MAIN INJURY & BODY REGION COMBINATION INVALID

Effect REJECTION

Problem This M1 Emergency Record's Nature of Main Injury = 1-12, 21, 23 or 24 and Body Region does not = 1-21, **OR** the Nature of Main Injury = 13, 15-20, 22 or 25 and Body Region does not = 22, **OR**, the Nature of Main Injury = 14 - Foreign Body and the Body Region does not = F1-F7.
If the Nature of Main Injury = 1-12, 21, 23 or 24, the Body Region must = a code from the range 1-21. If the Nature of Main Injury = 13, 15-20 or 25, the Body Region must = 22 - Body Region code not required.
Refer: *Nature of Main Injury*, page 24 and *Body Region*, page 25 & 26.

Remedy Check the Nature of Main Injury and Body Region codes, correct as appropriate and re-submit the M1.

E290 DESCRIPTION OF INJURY EVENT INVALID

Effect REJECTION

Problem This M1 Emergency Record's Description of Injury Event is invalid.
Valid: Length < 100 characters.
Refer: *Description of Injury Event*, page 27.

Remedy Correct the length of the Description and re-submit the M1. This problem should be remedied utilising edits on your inhouse system. Ensure your software supplier is notified of the problem and necessary correction.

E295 INJURY CAUSE CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Injury Cause code is invalid. It does not exist in the 'Injury Cause' Reference table. Note: Reference Table includes codes only. Acronyms will not be accepted.
Valid: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30
Refer: *Injury Cause*, page 28 & 29.

Remedy Correct Injury Cause code and re-submit the M1.

E296 NATURE OF MAIN INJURY REQUIRES INJURY CAUSE

Effect REJECTION

Problem This M1 Emergency Record's Nature of Main Injury Code is 1-24 and the Injury Cause is null.
If the Nature of Main Injury code is 1-24, then the Injury Cause must be completed.
Refer: *Nature of Main Injury*, page 24 and *Injury Cause*, page 28.

Remedy Correct the Nature of Main Injury or Injury Cause code and re-submit the M1.

E297 INJURY CAUSE CODE & AGE INCOMPATIBLE

- Effect Warning
- Problem This M1 Emergency Record contains an invalid combination of Injury Cause code and age as calculated from subtracting Birth Date from Arrival Date. The Injury Cause = 1 - Motor Vehicle driver or 3 - Motorcycle driver and the patients age is < 14 years.
Refer: *Injury Cause*, page 28.
- Remedy Check Injury Cause code and Birth Date, correct as appropriate and re-submit the M1.

E300 HUMAN INTENT CODE INVALID

- Effect REJECTION
- Problem This M1 Emergency Record's Human Intent code is invalid. It does not exist in the 'Human Intent' Reference table. Note: Reference Table includes codes only. Acronyms will not be accepted.
Refer: *Human Intent*, page 29.
- Remedy Check the Human Intent code, correct as appropriate and re-submit the M1.

E301 NATURE OF MAIN INJURY REQUIRES HUMAN INTENT

- Effect REJECTION
- Problem This M1 Emergency Record's Nature of Main Injury = 1-24 and Human Intent is null.
If Nature of Main Injury = 1-24 then Human Intent must be completed.
Refer: *Nature of Main Injury*, page 24 and *Human Intent*, page 29.
- Remedy If Nature of Main Injury has been appropriately submitted as 1-24, assign an appropriate Human Intent code and re-submit the M1.
If Nature of Main Injury has been incorrectly submitted, delete the Nature of Main Injury code and re-submit the M1.

E302 HUMAN INTENT CODE & AGE INCOMPATIBLE

- Effect Warning
- Problem This M1 Emergency Record contains an invalid combination Human Intent code and age as calculated from subtracting Birth Date from Arrival Date. For Human Intent code 2 - Intentional Self-harm, age must be > 10 years. For Human Intent code 4 - Child neglect, maltreatment by parent, guardian, age must be ~~≥~~ 15 years. For Human Intent code 5 - Maltreatment, assault by domestic partner, age must be ~~≥~~ 15 years.
Refer: *Human Intent*, page 29.
- Remedy Check Human Intent code and Birth Date, correct as appropriate and re-submit the M1.

E305 TYPE OF PLACE WHERE INJURY OCCURRED CODE INVALID

- Effect REJECTION
- Problem This M1 Emergency Record's Type of Place Where Injury Occurred code is invalid. It does not exist in the 'Type of Place Where Injury Occurred' Reference table.
Valid: H, I, S, M, P, A, R, T, C, Q, F, O, U
Refer: *Type of Place Where Injury Occurred*, page 30 & 31.
- Remedy Correct Type of Place Where Injury Occurred code and re-submit the M1.

E306 NATURE OF MAIN INJURY REQUIRES TYPE OF PLACE WHERE INJURY OCCURRED

Effect REJECTION

Problem This M1 Emergency Record's Nature of Main Injury is 1-24 and Type of Place Where Injury Occurred is null.
If the Nature of Main Injury = 1-24, then Type of Place Where Injury Occurred must be completed.
Refer: *Nature of Main Injury*, page 24 and *Type of Place Where Injury Occurred*, page 30 & 31.

Remedy If Nature of Main Injury has been appropriately submitted as 1-24, assign an appropriate Type of Place Where Injury Occurred code and re-submit the M1.
If Nature of Main Injury has been incorrectly submitted, delete the Nature of Main Injury code and re-submit the M1.

E310 ACTIVITY WHEN INJURED CODE INVALID

Effect REJECTION

Problem This M1 Emergency Record's Activity When Injured code is invalid. It does not exist in the 'Activity When Injured' Reference table.
Valid: L, S, E, W, C, N, V, O, U
Refer: *Activity When Injured*, page 32.

Remedy Correct Activity When Injured code and re-submit the M1.

E311 NATURE OF MAIN INJURY REQUIRES ACTIVITY WHEN INJURED

Effect REJECTION

Problem This M1 Emergency Record's Nature of Main Injury is 1-24 and Activity when Injured is null.
If the Nature of Main Injury = 1-24, then Activity When Injured must be completed.
Refer: *Nature of Main Injury*, page 24 and *Activity when Injured*, page 32.

Remedy If Nature of Main Injury has been appropriately submitted as 1-24, assign an appropriate Activity when Injured code and re-submit the M1. If Nature of Main Injury has been incorrectly submitted, delete the Nature of Main Injury code and re-submit the M1.