

References

1. Victorian Quality Council. VQC Strategic Plan 2002 – 2005. VQC, Melbourne
www.health.vic.gov.au/qualitycouncil.
2. Australian Wound Management Association. Clinical Practice Guidelines for the Prediction and Prevention of Pressure Ulcers. West Leederville, Perth, Australia: Cambridge Publishing, 2001.
3. Prentice J. & Stacey M. Pressure Ulcers: the case for improving prevention and management in Australian health care settings. *Primary Intention* 2001; 9(3): 111-120.
4. Defloor, T, Bours, G, Schoonhoven L & Clark, M. Draft EPUAP statement on prevalence and incidence monitoring.
http://www.epuap.org/review4_1/page6.html. [Accessed 14 February, 2005].
5. The Australian Council on Healthcare Standards. ACHS Clinical Indicator Users' Manual 2003 - Hospital Wide Clinical Indicators, Version 8. ACHS, Sydney.
6. Nelson T. Pressure ulcers in Australia: patterns of litigation and risk management issues. *Primary Intention* 2003; 2 (4): 183-187.
7. Hibbs P. The economics of pressure ulcer prevention. *Decubitus* 1988; 1(3): 32-38.
8. Australian Bureau of Statistics. ABS Deaths Collection where decubitus ulcers were a primary or secondary cause of death. Report prepared for the Victorian Quality Council, 29 January 2005.
9. Lapsley H M & Vogels R. Cost and prevention of pressure ulcers in an acute teaching hospital. *International Journal for Quality in Health Care* 1996; 8(1): 61-66.
10. Young J, Nikolett S, McCaul K, Twigg D & Morey P. Risk factors associated with pressure ulcer development at a major Western Australian teaching hospital from 1998 to 2000: Secondary data analysis. *Journal of Wound Ostomy Continence Nurses* 2002; 29(5): 234-241.
11. Whittington K, Patrick M & Roberts JL. A national study of pressure ulcer prevalence and incidence in acute care hospitals. *Journal of Wound Ostomy & Continence Nurses* 2000; 27(4): 209-215.
12. Margolis DJ, Knauss J, Bilker W & Baumgarten M. Medical conditions as risk factors in an outpatient setting. *Age and Ageing* 2003; 32(3): 259-264.
13. Victorian Quality Council, VQC State-wide PUPPS Report – 2003: Pressure Ulcer Point Prevalence Survey. Department of Human Services 2004. www.health.vic.gov.au/qualitycouncil.
14. Prentice JL & Stacey MC. Evaluating Australian clinical practice guidelines for pressure ulcer prevention. *European Wound Management Association Journal* 2002 (2)2: 11-15.
15. European Pressure Ulcer Advisory Panel (EPUAP). Summary Report on pressure ulcer prevalence data collected in Belgium, Italy, Portugal and the United Kingdom over the 14th and 15th of November 2001 in Sweden upon the 5th February 2002.
16. Amlung S, Miller W & Bosley L. The 1999 national pressure ulcer prevalence survey: A benchmarking approach. *Advances in Wound Care* 2001; 14(6): 297-301.
17. Victorian Quality Council. Move, Move, Move pressure ulcer prevention patient information brochure. December 2004. www.health.vic.gov.au/qualitycouncil.
18. Victorian Quality Council. Pressure Ulcer Prevention – a patient information booklet. December 2004. www.health.vic.gov.au/qualitycouncil.
19. Rycroft-Malone J & McInnis E. Clinical practice guidelines: Pressure ulcer risk assessment and prevention. Royal College of Nursing / National Institute of Clinical Effectiveness (NICE). Royal College of Nursing, London April 2001. www.nice.org.uk.

20. Schols JMGA & Jager-v.d Ende MA. Nutritional intervention in pressure ulcer guidelines: an inventory. *Nutrition* 2004; 20(6): 548-53.
21. Lewin G et al. Determining the effectiveness of implementing the AWMA Guidelines for the Prediction and Prevention of Pressure Ulcers in Silver Chain, a large home care agency. Stage 1: baseline measurement. *Primary Intention* 2003; 11(2): 57-72.
22. Agostini JV, Baker D & Bogardus ST. Prevention of pressure ulcers in older patients. Chapter 27 in *Making Health Care Safer: a critical analysis of patient safety practices. Evidence Report/Technology Assessment: Number 43. AHRQ Publication No. 01-E058, July 2001. Agency for Healthcare Research and Quality, Rockville, MD.* <http://www.ahrq.gov/clinic/ptsafety/>.
23. Bliss MR. Pressure injuries: causes and prevention. *Hospital Medicine* 1998; 59(11): 841-844.
24. Wellard SJ. An Australian experience of managing pressure ulcers in persons with SCI. *Spinal Cord Injury Nursing* 2001; 18(1): 11-17.
25. Johnson B. Speech notes for VQC State-wide PUPPS Report – 2003 launch. April 2004.
26. Witte MB & Barbul A. General principles of wound healing. *Surgical Clinics of North America* 1997; 77(3): 501-528.
27. Levenson SM, Geever EF, Crowley LV et al. The healing of rat skin wounds. *Annals of Surgery* 1965; 161:293.
28. Deloach ED, Check WE & Long R. Diagnosing osteomyelitis underlying pressure ulcer. *Contemporary Orthopaedics* 1993; 27:240.
29. Han H, Lewis VL Jr, Wiedrich TA & Patel PK. The value of Jamshidi core needle bone biopsy in predicting postoperative osteomyelitis in grade IV pressure ulcer patients. *Plastic & Reconstructive Surgery*. 110(1):118-122, July 2002.
30. Walker M & Caldwell J. (unpublished) impact of pressure ulcers on patient costs and length of stay and pressure relieving equipment recommendations: A report from the pressure ulcer prevention and management working party. Flinders Medical Centre, July 2003.
31. Porter A & Cooter R. Surgical management of pressure ulcers. *Primary Intention* 1999; 7(4): 142-147.
32. Torrance C. *Pressure Sores: Aetiology, Treatment and Prevention.* Beckenham: Coom Helm, 1983.
33. Hibbs P. Pressure sores: a system of prevention. *Nursing mirror* 1982; August 4: 25-9.
34. Miller ME & Sachs ML. *About bedsores: what you need to know to help prevent and treat them.* Blackwell Scientific Publications: London, 1974.
35. *Healthy People 2010.* www.healthypeople.gov. [Accessed 2 March, 2005].
36. Bick D & Stephens F. Pressure ulcer risk assessment and prevention: report of a national audit pilot project. http://www.rcn.org.uk/publications/pdf/guidelines/pressure_ulcer_audit_pilot_project.doc. [Accessed 2 March, 2005].
37. Defloor T, Schoonhoven L, Clark M, Halfens R & Nixon J. A draft EPUAP position statement on risk assessment in pressure ulcer prevention and management. http://www.epuap.org/bulletin3_2/page6.html. [Accessed 14 February, 2005].
38. Goebel RH & Goebel MR. Clinical practice guidelines for pressure ulcer prevention can prevent malpractice lawsuits in older patients. *Journal of Wound Continence & Ostomy Nursing* 1999; 26(4): 175-184.
39. Bennett RG, O'Sullivan JO, DeVito EM & Remsburg R. The increasing medical malpractice risk related to pressure ulcers in the United States. *Journal of the American Geriatric Society* 2000; 48:73-81.

40. Tingle J. Pressure sores: Counting the legal cost of nursing neglect. *British Journal of Nursing* 1997; 6 (13): 757-758.
41. Pearse J. Australian Council for Safety and Quality in Health Care. *Charting the Safety and Quality of Health Care in Australia*. ACSQHC 2004.
42. National Centre for Classification in Health ICD-10-AM Fourth Edition, <http://www2.fhs.usyd.edu.au/ncch>.
43. Australian Wound Management Association. *Standards for Wound Management*. West Leederville, Perth, Australia: Cambridge Publishing, 2001.
44. Prentice JL, Stacey MC & Lewin G. An Australian model for conducting pressure ulcer prevalence surveys. *Primary Intention* 2003; 2(2): 87-109.
45. Strachan V & Balding C. Raising PUPPS: establishing the prevalence of pressure ulcers in the acute and subacute health sectors in Victoria – a state wide methodology model. *Primary Intention* 2004; 12(1): 16-20.
46. Barczak, CA, Barnett R I, Jarczynski E & Bosley LM. Fourth national pressure ulcer prevalence survey. *Advances in Wound Care* 1997; 10(4): 18-26.
47. O'Dea K. Prevalence of pressure damage in hospital patients in the UK. *Journal of wound care* 1993; 2(4): 221-5.
48. Australian College of Project Management: Module 1: Project Management Overview. Modular Program in Project Management V1 2001.
49. Groeneveld A, Anderson M, Allen S, Bressmer S, Golberg M, Magee B, Milner, M & Young S. The prevalence of pressure ulcers in a tertiary care paediatric and adult hospital. *Journal of Wound, Ostomy and Continence Nursing* 2004; 31(3): 108-120.
50. McLane KM, Bookout K, McCord S, McCain J & Jefferson LS. The 2003 national paediatric pressure ulcer and skin breakdown prevalence survey: A multisite study 2004. *Journal of Wound, Ostomy and Continence Nursing* 2004; 31(4):168-178.
51. Alexander C & Marsh L. Creating the optimum environment for pressure area care. *British Journal of Nursing* 1992; 1(15): 751-7.
52. Van Eyk H, Baum F & Houghton G. Coping with health care reform. *Australian Health Review* 2001; 24(2): 202-6.
53. Benbow M. Pressure sore guidelines: patient/carer involvement and education. *British Journal of Nursing* 1996; 5(3): 182-7.
54. Berlowitz DR, Bezerra HQ, Brandeis GH, Kader B & Anderson JJ. Are we improving the quality of nursing home care: the case of pressure ulcers. *Journal of the American Geriatric Society* 2000; 48(1): 59-62.
55. Hopkins B, Hanlon M, Yank S, Sykes S, Rose T & Clearly A. Reducing nosocomial pressure ulcers in an acute care facility. *Journal of Nursing Care Quality* 2000; 14(3): 28-36.
56. Harrison MB, Logan J, Joseph L & Graham ID. Quality improvement, research and evidence-based practice: 5 years experience with pressure ulcers. *Evidence-Based Nursing* 1998; 1(4): 108-110.
57. Victorian Public Hospital and Mental Health Services Policy and Funding Guidelines 2004-2005, <http://www.health.vic.gov.au/pfg2004/index.htm>, 5 January 2005.
58. Clark M. Can pressure prevention be a waste of time? - Further Comments on Hagsisawa and Barbenel's important study (1999). *European Pressure Ulcer Advisory Panel*. http://www.epuap.org/bulletin2_3/page6.html. [Accessed 14 February, 2005].

59. Rycroft-Malone J. Formal consensus: the development of a national clinical guideline. *Quality in Healthcare* 2001; 10(4):238-244.
60. Walker M. (unpublished) Report into pressure ulcers and alternating pressure mattress usage: A report from the pressure ulcer equipment working party. Flinders Medical Centre, November 2004.
61. Bours GJJW, Halfens RJG, Abu-Saad HH & Grol RTPM. Prevalence, prevention and treatment of pressure ulcers: Descriptive study in 89 institutions in the Netherlands. *Research in Nursing and Health* 2003; 25(2): 99-110.
62. Young C & Stoker F. A four year review of pressure ulcer prevalence. *Primary Intention* 2000; 8(1) 6-10.
63. Clark, M. Can pressure ulcer prevention be a waste of time? - Comments on Hagisawa and Barbenel's important study (1999). European Pressure Ulcer Advisory Panel. http://www.epuap.org/bulletin2_2/page4.html. [Accessed 14 February 2005].
64. Gunningberg L. Prevention of pressure ulcers in patients with hip fractures. Definition, measurement and improvement in the quality of care. http://www.epuap.org/bulletin3_1/page9.html. [Accessed 14 February, 2005].
65. Gulacsi L. Epidemiology, prevention and treatment of pressure ulcers in Hungarian hospitals; 1992-1998. Part 1. http://www.epuap.org/bulletin3_1/page7.html. [Accessed 14 February, 2005].
66. Barnes S. The use of a pressure ulcer risk assessment tool for children. *Wound Care Development* 2004; 100(14): 56-58.
67. Newton H & Carson L. Counting the cost of pressure damage in the maternity unit. *British Journal of Midwifery* 2001; 9(2): 87-9.
68. Hughes C. Obstetric care: Is there risk of pressure damage after epidural anaesthesia? <http://www.worldwidewounds.com/2001/september/Hughes/Obstetric-Care-and-Pressure-Damage.html>. [Accessed 6 November, 2004].
69. Lyder CH, Preston J, Grady JN, Scinto J, Allman R, Bergstrom N & Rodheaver G. Quality of care for hospitalised medicare patients at risk of pressure ulcers. *Archives of Internal Medicine* 2001; 25(12) 1549-54.
70. Bliss MR. Hyperaemia. *Journal of Tissue Viability* 1998; 8(4):4-13.
71. Pearson A, Wiechula R, Nay R, Mitchell A & Hodgkinson B. Promoting best practice in the prevention and treatment of pressure ulcers: Evaluation Cycle Report. The Joanna Briggs Institute for evidence based nursing and midwifery 2000, Adelaide.
72. Leape LL, Berwick, DM & Bates DW. What practices will most improve safety? Evidence-based medicine meets patient safety. *Journal of the American Medical Association* 2002; 288(4): 501-507.
73. Cullum N, Deeks J, Sheldon TA, Song F & Fletcher AW. Beds, mattresses and cushions for pressure sore prevention and treatment (Cochrane Review). In: *The Cochrane Library* 2002; 3. Oxford: Update Software.
74. Gunningberg L & Ehrenberg A. Accuracy and quality in nursing documentation of pressure ulcers: A comparison of record content and patient examination. *Journal of wound, ostomy and continence* 2004; 31(6): 328-335.
75. Bethell E. Incidence and Prevalence data: can we ensure greater accuracy? *Journal of Wound Care* 2002, 2(8): 285-288.
76. Moore Z. Pressure ulcer prevention: nurses' knowledge, attitudes and behaviour. *Journal of Wound Care* 2004; 13(8): 330-4.

77. Gottrup F, Holstein P, Jorgensen B, Lohmann M & Karlsmar T. A new concept of a multidisciplinary wound healing center and a national expert function of wound healing. *Archives of Surgery* 2001; 136(7): 765-72.
78. Morison MJ, Harris J & Corlett J. Planning the care of a patient with a pressure ulcer. In Morison MJ (Ed). *The prevention and treatment of pressure ulcers*. London: Mosby,2001: 17-130.
79. Bours GJJW, Halfens RJG, Candel MJJM, Grol RTPM & Abu-Saad HH. A pressure ulcer audit and feedback project across multi-hospital settings in the Netherlands. *International Journal for Quality in Healthcare* 200; 16(3): 211-8.
80. Langemo DK, Melland H, Hanson, D, Olson B & Hunter S. The lived experience of having a pressure ulcer: a qualitative analysis. *Advances in skin and wound care* 2000; 13(5): 225-35.
81. Morison MJ. Pressure sore management: the patient's role. *The professional nurse* 1989; December: 134-8.
82. Halfens R, Bours G & Bronner C. The impact of assessing the prevalence of pressure ulcers on the willingness of health care institutions to plan and implement activities to reduce the prevalence. *Journal of Advanced Nursing* 2001; 36(5): 617-625.
83. Berlowitz D, Young G, Brandeis G, Kader B & Anderson J. Health Care re-organisation and Quality of Care – Unintended effects on pressure ulcer prevention. *Medical Care* 2001; 39(2): 138-146.
84. Allen-Franklin D & Madalone J. Comprehensive pressure ulcer prevention in long term and subacute care. *Journal of Wound, Ostomy and Continence Nursing* 2004; 31(3) Suppl.: S16-17.
85. Wright R. Predicting and preventing pressure ulcers across Southern Health: Report to the Victorian Quality Council. 1 March, 2003 (unpublished).
86. National Pressure Ulcer Advisory Panel. Cuddigan J. Ayello E.A. & Sussman C. (Eds). *Pressure Ulcers in America: Prevalence, Incidence and Implications for the Future*. Reston, VA: 2001 NPUAP.
87. Victorian Quality Council. *Enabling the consumer role in clinical governance – a guide for health services*. A supplementary paper to the VQC document *Better Quality, Better Health Care – a safety and quality improvement framework for Victorian health services*. Department of Human Services. 2005. www.health.gov.au/qualitycouncil.
88. Victorian Quality Council. *Better Quality, Better Health Care – a safety and quality improvement framework for Victorian health services*. Department of Human Services. 2003. www.health.vic.gov.au/qualitycouncil.