Check you are using the correct varicella containing vaccines

National Immunisation Program vaccine recommendations July 2025

Vaccine brand	Packaging
Varilrix® Varicella -zoster (chickenpox) NIP – age recommendation Catch-up • From 19 months • From 14 years to < 20 years	PRESCRIPTION ONLY MEDICINE KEEP OUT OF REACH OF CHILDREN Varil Fix
 Refugees and asylum seekers from 12 months Notes Syringe of diluent + vial with pellet 14 years and older - 2 dose course, a minimum of 4 weeks apart Live attenuated virus vaccine Contraindicated in immunocompromised individuals 	IIVE VARICEITA VACCINE PFU/0.5 mL RECONSTITUTION REQUIRED 1 s single dose vid 1 s single dose vid 1 s single dose vid 2 s single dose vid 2 s single dose vid 3 s single dose vid 4 s single dose vid 5 s single dose vid 6 s single dose vid 6 s single dose vid 7 s single dose vid 7 s single dose vid 8 s single dose vid 9 s single dose vid
Shingrix® Herpes-zoster(shingles) Age recommendation • People aged 65 years and older	ncine.
 Aboriginal and Torres Strait Islander people aged 50 years and older Immunocompromised people aged 18 years or older with certain medical risk conditions. 	PRESCRIPTION ONLY MEDICINE PRESCRIPTION ONLY MEDICINE PRESCRIPTION ONLY MEDICINE REPOUT OF REACH OF CHILDREN KEEP OUT OF CHILDREN KEEP OUT OF REACH OF CHILDREN KEEP OUT OF REACH OF CHILDREN KEEP OUT OF CHILDREN KEEP OUT OF REACH OF CHILDREN KEEP OUT OF REACH OF CHILDREN KEEP OUT OF CHILDREN KEEP OUT OF REACH OF CHILDREN KEEP OUT OF CHILD
Syringe of diluent + vial with powder Two dose course: 2-6 months apart (immunocompetent person) 1-2 months apart (immunocompromised person)	1 vidi: suspension (a.g.) 1 vidi: suspension (a.g.) 1 vidi: suspension (a.g.)

Vaccine brand Priorix-Tetra®

Packaging

MMRV (measles-mumps-rubella-varicella)

Age recommendation

• 18 months

Catch-up

19 months to < 14 years - catch-up

Notes

- Syringe of diluent + vial with pellet
- Live attenuated virus vaccine
- Contraindicated in immunocompromised individuals
- Must be administered as the 2nd MMR dose for children <4 years of age due to the risk of febrile seizure if MMRV is given as a 1st dose



Images of packaging reproduced with permission.

Always check that vaccines are prepared and administered appropriately in accordance with product instructions and recommendations in the <u>Australian Immunisation Handbook</u> https://immunisationhandbook.health.gov.au>.

Use this resource in conjunction with the <u>Immunisation schedule Victoria and vaccine eligibility criteria</u> https://www.health.vic.gov.au/immunisation/immunisation-schedule-victoria-and-vaccine-eligibility-criteria>.

To receive this document in another format or email the <u>Immunisation Program</u> <immunisation@health.vic.gov.au>.

Authorised and published by the Victorian Government, 1 Treasury Place, Melbourne.

© State of Victoria, Australia, Department of Health, July 2025.

Available on Immunisation factsheets, consent templates and mature minor information

https://www.health.vic.gov.au/immunisation/immunisation-fact-sheets-consent-templates-and-mature-minor-information.